

In-House Water Testing Results January 2015

Sampling Location	Date Sampled	Conductivity	pH	Turbidity	Free Cl	Total Cl	Temp
		µS/cm		NTU	mg/L	mg/L	
Peace Arch Hospital	6-Jan-15	317	8.06	0.07	0.00	0.62	13.0
Merklin & Thrift	6-Jan-15	317	8.20	0.06	0.08	0.60	8.6
Merklin Low Reservoir - 25%	6-Jan-15	.	8.32	0.23	0.07	0.03	7.1
Merklin Low Reservoir - 50%	6-Jan-15	321	8.34	0.22	0.06	0.02	7.0
Merklin Low Reservoir - 75%	6-Jan-15	323	8.38	0.22	0.05	0.06	6.9
Roper Reservoir - 25%	7-Jan-15	403	7.86	0.12	0.03	0.15	8.1
Roper Reservoir - 50%	7-Jan-15	399	7.97	0.11	0.03	0.13	8.2
Merklin High Reservoir	6-Jan-15	317	8.30	0.07	0.05	0.49	12.0
Stevens STN	6-Jan-15	318	8.31	0.10	0.05	0.59	7.4
Well #3 - Oxford	6-Jan-15	266	8.32	0.16	0.03	0.04	8.2
Whale House	7-Jan-15	382	7.91	0.10	0.03	0.00	8.3
Well #6 - Valve Chamber	7-Jan-15				-	-	
Bergstrom Residence	7-Jan-15	312	7.94	0.08	0.00	0.00	7.3
WR Washroom	7-Jan-15	524	7.79	0.11	0.01	0.01	8.3
Magdalen & Bishop	7-Jan-15	295	7.94	0.07	0.00	0.02	7.7
Peace Arch Hospital	13-Jan-15	315	8.07	0.08	0.01	0.12	9.3
Merklin & Thrift	13-Jan-15	317	8.15	0.07	0.00	0.35	8.3
Merklin Low Reservoir (25%)	13-Jan-15	320	8.27	0.27	0.04	0.22	6.5
Merklin Low Reservoir (50%)	13-Jan-15	320	8.28	0.27	0.04	0.19	6.1
Merklin Low Reservoir (75%)	13-Jan-15	323	8.27	0.27	0.02	0.20	5.9
Roper Reservoir - 25%	13-Jan-15	392	8.11	0.11	0.00	0.05	8.5
Roper Reservoir - 50%	13-Jan-15	392	8.10	0.11	0.02	0.08	8.5
Merklin High Reservoir	13-Jan-15	319	8.29	0.09	0.04	0.40	8.5
1100 Blk. Centre Street	14-Jan-15	304	8.03	0.06	0.05	0.39	10.2
Well #4 - Valve Chamber	13-Jan-15	223	8.24	0.12	0.03	0.00	9.1
Maple & Columbia	14-Jan-15	401	7.63	0.06	0.02	0.04	9.0
Centennial Arena	14-Jan-15	284	7.85	0.05	0.03	0.01	11.7
Penny Lane	14-Jan-15				-	-	
14000 Blk. North Bluff Road	14-Jan-15	268	7.89	0.10	0.04	0.02	11.7
Peace Arch Hospital	20-Jan-15	301	7.98	0.10	0.09	0.59	11.2
Merklin & Thrift	20-Jan-15	303	8.02	0.06	0.04	0.63	9.5
Merklin Low Reservoir - 25%	20-Jan-15	303	8.12	0.25	0.04	0.10	7.6
Merklin Low Reservoir - 50%	20-Jan-15	303	8.11	0.27	0.04	0.10	7.5
Merklin Low Reservoir - 75%	20-Jan-15	302	8.12	0.27	0.04	0.09	7.7
Roper Reservoir - 25%	20-Jan-15	378	7.92	0.10	0.02	0.21	8.6
Roper Reservoir - 50%	20-Jan-15	380	7.95	0.12	0.00	0.14	8.8
Merklin High Reservoir	20-Jan-15	309	8.09	0.07	0.07	0.54	9.3
EPCOR Office	20-Jan-15	301	8.13	0.09	0.08	0.53	15.8
Well #7 - Chlorine STN	20-Jan-15	305	8.07	0.12	0.02	0.01	8.9
13600 Blk. Marine Drive STN	21-Jan-15	281	7.80	0.09	0.01	0.00	8.9
15600 Blk. Moffat Lane	21-Jan-15	300	8.02	0.13	0.05	0.33	9.5
Well #2 Pump House	21-Jan-15	291	7.77	0.31	0.01	0.01	10.6
14800 Blk. Marine Drive	21-Jan-15	538	7.61	0.08	0.00	0.00	13.7
Peace Arch Hospital	27-Jan-15	302	8.04	0.07	0.01	1.00	12.1
Merklin & Thrift	27-Jan-15	302	8.19	0.06	0.06	0.62	12.0
Merklin Low Reservoir - 25%	27-Jan-15	307	8.21	0.24	0.15	0.23	8.8
Merklin Low Reservoir - 50%	27-Jan-15	303	8.21	0.23	0.07	0.23	8.8
Merklin Low Reservoir - 75%	27-Jan-15	300	8.25	0.24	0.06	0.23	9.0
Roper Reservoir - 25%	27-Jan-15	383	8.09	0.11	0.00	0.17	12.2
Roper Reservoir - 50%	27-Jan-15	376	8.10	0.10	0.05	0.17	12.4
Merklin High Reservoir	27-Jan-15	308	8.27	0.08	0.06	0.54	9.7
Malabar STN	27-Jan-15	282	8.15	0.09	0.00	0.00	10.5
Well #5 - Buena Vista	27-Jan-15	539	7.90	0.11	0.05	0.01	10.9
Well #1 - Oxford	28-Jan-15	276	7.82	0.09	0.04	0.00	10.9
Kent Activity Centre	28-Jan-15	305	8.09	0.06	0.06	0.60	11.1
Mann Park STN	28-Jan-15	281	8.00	0.05	0.03	0.03	10.3
Marine & Stayte STN	28-Jan-15	459	7.88	0.09	0.02	0.06	10.3
Min		223	7.6	0.05	<0.02	<0.02	5.9
Max		539	8.4	0.31	0.15	1.00	15.8
Average		333	8.1	0.13	0.04	0.21	9.4

In-House Water Testing Results February 2015

Sampling Location	Date Sampled	Conductivity	pH	Turbidity	Free Cl	Total Cl	Temp
		µS/cm		NTU	mg/L	mg/L	
Peace Arch Hospital	3-Feb-15	308	8.00	0.11	0.05	0.57	13.0
Merklin & Thrift	3-Feb-15	307	8.05	0.07	0.02	0.64	11.1
Merklin Low Reservoir - 25%	4-Feb-15	302	8.01	0.26	0.04	0.14	8.4
Merklin Low Reservoir - 50%	4-Feb-15	304	8.06	0.26	0.02	0.15	8.4
Merklin Low Reservoir - 75%	4-Feb-15	304	8.10	0.25	0.02	0.10	8.4
Roper Reservoir - 25%	4-Feb-15	382	7.95	0.11	0.03	0.17	10.7
Roper Reservoir - 50%	4-Feb-15	383	7.97	0.11	0.04	0.17	10.7
Merklin High Reservoir	4-Feb-15	306	8.06	0.11	0.05	0.57	9.9
Stevens STN	3-Feb-15	310	8.06	0.06	0.04	0.63	10.0
Well #3 - Oxford	3-Feb-15	255	8.07	0.08	0.02	0.01	10.1
Whale House	4-Feb-15	400	7.88	0.07	0.04	0.00	11.2
Well #6 - Valve Chamber	3-Feb-15						
Bergstrom Residence	4-Feb-15	279	7.97	0.08	0.03	0.00	9.4
WR Washroom	3-Feb-15	526	7.73	0.09	0.02	0.03	10.8
Magdalen & Bishop	4-Feb-15	278	7.95	0.07	0.02	0.01	9.6
Peace Arch Hospital	10-Feb-15	304	7.94	0.09	0.00	0.41	13.8
Merklin & Thrift	10-Feb-15	304	7.97	0.06	0.00	0.77	10.4
Merklin Low Reservoir (25%)	10-Feb-15	299	8.04	0.24	0.06	0.21	9.3
Merklin Low Reservoir (50%)	10-Feb-15	303	8.00	0.24	0.07	0.20	9.1
Merklin Low Reservoir (75%)	10-Feb-15	307	8.05	0.25	0.06	0.26	9.2
Roper Reservoir - 25%	10-Feb-15	382	7.90	0.11	0.04	0.21	10.0
Roper Reservoir - 50%	10-Feb-15	382	7.94	0.13	0.03	0.21	9.9
Merklin High Reservoir	10-Feb-15	304	8.07	0.17	0.03	0.05	11.6
1100 Blk. Centre Street	10-Feb-15	306	8.02	0.09	0.00	0.32	12.2
Well #4 - Valve Chamber	10-Feb-15	232	8.07	0.09	0.03	0.08	12.8
Maple & Columbia	11-Feb-15	477	7.69	0.07	0.02	0.03	11.6
Centennial Arena	11-Feb-15	280	7.87	0.10	0.03	0.01	12.8
Penny Lane	11-Feb-15						
14000 Blk. North Bluff Road	11-Feb-15	280	7.95	0.12	0.05	0.00	16.2
Peace Arch Hospital	17-Feb-15	304	7.94	0.11	0.00	0.50	12.7
Merklin & Thrift	17-Feb-15	308	8.06	0.07	0.00	0.44	11.5
Merklin Low Reservoir - 25%	17-Feb-15	304	8.11	0.25	0.06	0.14	10.9
Merklin Low Reservoir - 50%	17-Feb-15	305	8.10	0.26	0.06	0.13	11.3
Merklin Low Reservoir - 75%	17-Feb-15	307	8.12	0.24	0.05	0.14	11.5
Roper Reservoir - 25%	17-Feb-15	393	7.94	0.12	0.06	0.17	11.1
Roper Reservoir - 50%	17-Feb-15	391	7.91	0.13	0.04	0.18	11.4
Merklin High Reservoir	17-Feb-15	306	8.09	0.2	0.08	0.59	10.7
EPCOR Office	17-Feb-15	296	8.12	0.14	0.00	0.36	18.8
Well #7 - Chlorine STN	17-Feb-15	307	8.13	0.12	0.06	0.01	10.5
13600 Blk. Marine Drive STN	18-Feb-15	272	7.79	0.08	0.01	0.02	11.4
15600 Blk. Moffat Lane	18-Feb-15	301	7.98	0.17	0.06	0.27	12.3
Well #2 Pump House	18-Feb-15	299	7.71	0.23	0.03	0.03	10.8
14800 Blk. Marine Drive	18-Feb-15	536	7.67	0.08	0.04	0.01	16.4
Peace Arch Hospital	24-Feb-15	307	7.90	0.12	0.05	0.60	12.3
Merklin & Thrift	24-Feb-15	306	8.02	0.07	0.08	0.72	11.0
Merklin Low Reservoir - 25%	24-Feb-15	304	8.11	0.27	0.05	0.11	9.0
Merklin Low Reservoir - 50%	24-Feb-15	303	8.12	0.27	0.05	0.10	9.1
Merklin Low Reservoir - 75%	24-Feb-15	304	8.12	0.21	0.05	0.09	9.3
Roper Reservoir - 25%	24-Feb-15	388	8.00	0.13	0.04	0.17	10.1
Roper Reservoir - 50%	24-Feb-15	391	7.95	0.12	0.08	0.17	10.0
Merklin High Reservoir	24-Feb-15	307	8.09	0.25	0.05	0.58	9.9
Malabar STN	24-Feb-15	279	7.96	0.10	0.03	0.02	10.2
Well #5 - Buena Vista	24-Feb-15	530	7.80	0.1	0.05	0.02	11.2
Well #1 - Oxford	25-Feb-15	276	7.93	0.09	0.01	0.01	10.7
Kent Activity Centre	25-Feb-15	306	8.27	0.16	0.06	0.62	12.5
Mann Park STN	25-Feb-15	274	8.13	0.06	0.03	0.02	11.7
Marine & Stayte STN	25-Feb-15	451	7.99	0.09	0.03	0.04	12.2
Min		232	7.67	0.06	<0.02	<0.02	8.4
Max		536	8.27	0.27	0.08	0.77	18.8
Average		330	7.99	0.14	0.04	0.22	11.1

In-House Water Testing Results March 2015

Sampling Location	Date Sampled	Conductivity	pH	Turbidity	Free Cl	Total Cl	Temp
		µS/cm		NTU	mg/L	mg/L	
Peace Arch Hospital	3-Mar-15	303	8.03	0.26	0.04	0.41	14.0
Merklin & Thrift	3-Mar-15	307	8.18	0.07	0.03	0.67	9.9
Merklin Low Reservoir - 25%	3-Mar-15	301	8.17	0.33	0.08	0.27	9.9
Merklin Low Reservoir - 50%	3-Mar-15	306	8.17	0.35	0.06	0.26	10.7
Merklin Low Reservoir - 75%	3-Mar-15	306	8.14	0.35	0.08	0.27	10.2
Roper Reservoir - 25%	3-Mar-15	395	8.12	0.11	0.05	0.10	9.9
Roper Reservoir - 50%	3-Mar-15	383	8.02	0.12	0.04	0.09	9.9
Merklin High Reservoir	3-Mar-15	309	8.16	0.23	0.03	0.56	11.4
Stevens STN	3-Mar-15	303	8.21	0.13	0.02	0.55	10.1
Well #3 - Oxford	3-Mar-15	258	8.20	0.12	0.05	0.01	9.8
Whale House	4-Mar-15	350	7.79	0.08	0.02	0.04	11.5
Well #6 - Valve Chamber	4-Mar-15						
Bergstrom Residence	4-Mar-15	289	7.93	0.09	0.02	0.04	11.1
WR Washroom	4-Mar-15	517	7.76	0.06	0.01	0.01	11.7
Magdalen & Bishop	4-Mar-15	276	7.95	0.06	0.01	0.01	10.7
Peace Arch Hospital	11-Mar-15	306	8.19	0.11	0.07	0.63	12.2
Merklin & Thrift	11-Mar-15	307	8.28	0.07	0.07	0.71	11.0
Merklin Low Reservoir (25%)	12-Mar-15	304	8.09	0.36	0.09	0.22	11.9
Merklin Low Reservoir (50%)	12-Mar-15	305	8.04	0.36	0.10	0.19	10.3
Merklin Low Reservoir (75%)	12-Mar-15	306	8.05	0.35	0.09	0.20	11.3
Roper Reservoir - 25%	12-Mar-15	377	7.94	0.09	0.05	0.20	11.0
Roper Reservoir - 50%	12-Mar-15	376	7.94	0.12	0.03	0.22	11.2
Merklin High Reservoir	12-Mar-15	306	8.05	0.21	0.05	0.62	10.2
1100 Blk. Centre Street	11-Mar-15	305	8.33	0.10	0.05	0.61	12.1
Well #4 - Valve Chamber	11-Mar-15						
Maple & Columbia	11-Mar-15	437	8.18	0.08	0.02	0.07	11.8
Centennial Arena	11-Mar-15	279	8.35	0.06	0.03	0.01	15.1
Penny Lane	11-Mar-15	279	8.42	0.07	0.05	0.08	13.7
14000 Blk. North Bluff Road	11-Mar-15	279	8.36	0.07	0.04	0.03	16.2
Peace Arch Hospital	17-Mar-15	312	7.80	0.14	0.00	0.60	12.8
Merklin & Thrift	17-Mar-15	313	7.94	0.08	0.03	0.53	11.0
Merklin Low Reservoir - 25%	17-Mar-15	303	8.06	0.37	0.08	0.18	9.9
Merklin Low Reservoir - 50%	17-Mar-15	314	8.09	0.37	0.08	0.17	10.5
Merklin Low Reservoir - 75%	17-Mar-15	313	8.09	0.34	0.07	0.16	11.3
Roper Reservoir - 25%	17-Mar-15	391	7.93	0.12	0.03	0.18	10.4
Roper Reservoir - 50%	17-Mar-15	390	7.94	0.15	0.04	0.18	11.6
Merklin High Reservoir	17-Mar-15	312	8.08	0.21	0.03	0.62	10.0
EPCOR Office	17-Mar-15	303	8.12	0.15	0.06	0.29	17.8
Well #7 - Chlorine STN	17-Mar-15	311	8.10	0.11	0.03	0.02	9.9
13600 Blk. Marine Drive STN	18-Mar-15	275	7.85	0.08	0.03	0.01	10.3
15600 Blk. Moffat Lane	18-Mar-15	309	8.00	0.17	0.06	0.39	11.3
Well #2 Pump House	18-Mar-15	297	7.76	0.36	0.02	0.01	10.3
14800 Blk. Marine Drive	18-Mar-15	534	7.71	0.07	0.02	0.01	15.1
Peace Arch Hospital	24-Mar-15	313	8.10	0.12	0.07	0.66	14.6
Merklin & Thrift	24-Mar-15	314	8.02	0.10	0.07	0.70	11.3
Merklin Low Reservoir - 25%	25-Mar-15	303	7.99	0.33	0.06	0.29	9.6
Merklin Low Reservoir - 50%	25-Mar-15	306	8.01	0.33	0.04	0.29	9.5
Merklin Low Reservoir - 75%	25-Mar-15	306	8.05	0.33	0.04	0.29	9.5
Roper Reservoir - 25%	25-Mar-15	389	7.94	0.11	0.03	0.15	10.2
Roper Reservoir - 50%	25-Mar-15	388	7.91	0.11	0.02	0.12	10.1
Merklin High Reservoir	25-Mar-15	309	8.07	0.20	0.18	0.45	12.3
Malabar STN	24-Mar-15	273	8.00	0.07	0.04	0.01	11.4
Well #5 - Buena Vista	24-Mar-15	540	7.84	0.06	0.00	0.00	12.1
Well #1 - Oxford	24-Mar-15	282	8.02	0.06	0.03	0.05	10.2
Kent Activity Centre	24-Mar-15	313	8.18	0.12	0.06	0.64	12.1
Mann Park STN	24-Mar-15	276	8.13	0.07	0.04	0.02	11.1
Marine & Stayte STN	24-Mar-15	467	7.97	0.11	0.05	0.02	11.7
Peace Arch Hospital	31-Mar-15	299	8.07	0.13	0.04	0.65	11.0
Merklin & Thrift	31-Mar-15	319	8.11	0.14	0.07	0.56	11.2
Merklin Low Reservoir - 25%	31-Mar-15	310	8.23	0.36	0.08	0.26	11.7
Merklin Low Reservoir - 50%	31-Mar-15	306	8.31	0.35	0.08	0.25	11.3
Merklin Low Reservoir - 75%	31-Mar-15	313	8.39	0.32	0.06	0.23	11.8
Roper Reservoir - 25%	31-Mar-15	394	8.28	0.10	0.05	0.22	11.0
Roper Reservoir - 50%	31-Mar-15	394	8.40	0.11	0.05	0.16	10.9
Merklin High Reservoir	31-Mar-15	310	7.97	0.20	0.08	0.60	9.7
Stevens STN	31-Mar-15	307	7.95	0.14	0.05	0.65	10.9
Well #3 - Oxford	31-Mar-15	259	7.97	0.13	0.03	0.07	13.1
Min		258	7.71	0.06	<0.02	<0.02	9.5
Max		540	8.42	0.37	0.18	0.71	17.8
Average		330	8.07	0.17	0.05	0.26	11.4

In-House Water Testing Results April 2015

Sampling Location	Date Sampled	Conductivity	pH	Turbidity	Free Cl	Total Cl	Temp
		µS/cm		NTU	mg/L	mg/L	
Whale House	1-Apr-15	294	7.61	0.08	0.04	0.06	17.5
Bergstrom Residence	1-Apr-15	535	7.71	0.10	0.02	0.04	12.4
WR Washroom	1-Apr-15	288	7.65	0.11	0.02	0.01	14.7
Magdalen & Bishop	1-Apr-15	309	7.74	0.07	0.02	0.01	11.5
Peace Arch Hospital	7-Apr-15	307	7.91	0.12	0.07	0.63	12.6
Merklin & Thrift	7-Apr-15	309	8.02	0.10	0.00	0.72	10.9
Merklin Low Reservoir (25%)	7-Apr-15	304	8.15	0.37	0.08	0.27	13.7
Merklin Low Reservoir (50%)	7-Apr-15	305	8.11	0.37	0.07	0.21	13.3
Merklin Low Reservoir (75%)	7-Apr-15	309	8.14	0.27	0.07	0.19	13.9
Roper Reservoir - 25%	7-Apr-15	398	7.99	0.12	0.05	0.16	11.5
Roper Reservoir - 50%	7-Apr-15	399	7.95	0.11	0.05	0.15	11.8
Merklin High Reservoir	7-Apr-15	311	8.06	0.22	0.05	0.62	9.9
1100 Bk. Centre Street	7-Apr-15	310	8.1	0.08	0.04	0.67	14.7
Well #4 - Valve Chamber	7-Apr-15	269	8.07	0.10	0.05	0.00	9.9
Maple & Columbia	8-Apr-15	465	7.65	0.06	0.05	0.09	13.3
Centennial Arena	8-Apr-15	283	7.77	0.05	0.03	0.01	18.0
Penny Lane	8-Apr-15						
14000 Bk. North Bluff Road	8-Apr-15	281	7.85	0.06	0.01	0.01	16.7
Peace Arch Hospital	14-Apr-15	308	7.8	0.13	0.01	0.62	14.0
Merklin & Thrift	14-Apr-15	308	7.86	0.07	0.04	0.67	12.0
Merklin Low Reservoir - 25%	14-Apr-15	303	7.98	0.34	0.08	0.39	11.6
Merklin Low Reservoir - 50%	14-Apr-15	306	7.94	0.35	0.06	0.30	11.5
Merklin Low Reservoir - 75%	14-Apr-15	304	7.95	0.34	0.06	0.29	12.0
Roper Reservoir - 25%	14-Apr-15	358	7.9	0.13	0.05	0.19	10.9
Roper Reservoir - 50%	14-Apr-15	357	7.83	0.14	0.04	0.17	10.8
Merklin High Reservoir	14-Apr-15	310	7.93	0.22	0.06	0.58	10.3
EPCOR Office	14-Apr-15	286	7.98	0.14	0.08	0.26	18.0
Well #7 - Chlorine STN	14-Apr-15	308	7.98	0.09	0.04	0.02	11.1
13600 Bk. Marine Drive STN	15-Apr-15	286	7.67	0.11	0.03	0.02	12.6
15600 Bk. Moffat Lane	15-Apr-15	303	7.95	0.16	0.05	0.44	13.9
Well #2 Pump House	15-Apr-15	280	7.77	0.32	0.04	0.01	10.3
14800 Bk. Marine Drive	15-Apr-15	533	7.64	0.05	0.02	0.02	14.2
Peace Arch Hospital	21-Apr-15	308	8.1	0.10	0.05	0.65	13.5
Merklin & Thrift	21-Apr-15	309	8.16	0.09	0.04	0.71	12.3
Merklin Low Reservoir - 25%	21-Apr-15	305	8.24	0.35	0.07	0.27	12.5
Merklin Low Reservoir - 50%	21-Apr-15	305	8.27	0.34	0.08	0.24	12.3
Merklin Low Reservoir - 75%	21-Apr-15	307	8.28	0.31	0.08	0.23	13.9
Roper Reservoir - 25%	21-Apr-15	387	8.18	0.11	0.04	0.15	12.5
Roper Reservoir - 50%	21-Apr-15	387	8.18	0.11	0.04	0.15	12.3
Merklin High Reservoir	21-Apr-15	309	8.26	0.18	0.05	0.63	10.4
Malabar STN	21-Apr-15	280	8.17	0.11	0.07	0.08	11.7
Well #5 - Buena Vista	21-Apr-15	536	8.06	0.09	0.06	0.03	11.9
Well #1 - Oxford	22-Apr-15	314	7.87	0.12	0.02	0.01	10.4
Kent Activity Centre	22-Apr-15	310	8.01	0.12	0.08	0.65	14.6
Mann Park STN	22-Apr-15	291	7.89	0.10	0.03	0.15	11.7
Marine & Stayte STN	22-Apr-15	459	7.78	0.10	0.03	0.02	13.7
Peace Arch Hospital	28-Apr-15	381	8.09	0.11	0.00	0.50	13.3
Merklin & Thrift	28-Apr-15	362	8.22	0.15	0.06	0.61	13.1
Merklin Low Reservoir - 25%	28-Apr-15	308	8.29	0.32	0.16	0.40	11.5
Merklin Low Reservoir - 50%	28-Apr-15	303	8.33	0.32	0.08	0.30	11.5
Merklin Low Reservoir - 75%	28-Apr-15	304	8.36	0.31	0.04	0.30	11.7
Roper Reservoir - 25%	28-Apr-15	461	8.1	0.11	0.01	0.08	12.5
Roper Reservoir - 50%	28-Apr-15	466	8.07	0.10	0.02	0.07	12.3
Merklin High Reservoir	28-Apr-15	346	8.29	0.19	0.06	0.62	10.3
Stevens STN	28-Apr-15	385	8.36	0.13	0.08	0.66	12.2
Well #3 - Oxford	28-Apr-15	251	8.34	0.09	0.05	0.02	9.7
Whale House	29-Apr-15	471	7.87	0.10	0.03	0.04	15.4
Well #6 - Valve Chamber	29-Apr-15	377	8.24	0.08	0.02	0.02	10.1
Bergstrom Residence - Tanner	29-Apr-15	318	8.12	0.10	0.03	0.02	15.7
WR Washroom	29-Apr-15	490	8.03	0.10	0.01	0.03	17.9
Magdalen & Bishop	29-Apr-15	277	8.11	0.09	0.02	0.01	12.9
Min		251	7.61	0.05	<0.02	<0.02	9.7
Max		536	8.36	0.37	0.16	0.72	18.0
Average		342	8.02	0.16	0.05	0.27	12.7

In-House Water Testing Results May 2015

Sampling Location	Date Sampled	Conductivity	pH	Turbidity	Free Cl	Total Cl	Temp
		µS/cm		NTU	mg/L	mg/L	
Peace Arch Hospital	5-May-15	368	8.11	0.11	0.08	0.66	14.3
Merklin & Thrift	5-May-15	365	8.22	0.12	0.09	0.80	11.9
Merklin Low Reservoir (25%)	5-May-15	303	8.29	0.33	0.06	0.25	12.6
Merklin Low Reservoir (50%)	5-May-15	304	8.33	0.32	0.05	0.24	12.5
Merklin Low Reservoir (75%)	5-May-15	305	8.35	0.29	0.06	0.23	14.3
Roper Reservoir - 25%	5-May-15	438	8.18	0.09	0.03	0.10	12.4
Roper Reservoir - 50%	5-May-15	438	8.17	0.10	0.03	0.11	12.3
Merklin High Reservoir	5-May-15	368	8.23	0.09	0.07	0.67	10.4
1100 Blk. Centre Street	5-May-15	359	8.38	0.06	0.08	0.55	14.1
Well #4 - Valve Chamber	5-May-15	291	8.31	0.09	0.04	0.00	10.1
Maple & Columbia	6-May-15	517	7.55	0.11	0.06	0.03	16.0
Centennial Arena	6-May-15	276	7.75	0.10	0.03	0.00	16.0
Penny Lane	6-May-15						
14000 Blk. North Bluff Road	6-May-15	279	7.78	0.06	0.05	0.02	21.6
Peace Arch Hospital	12-May-15	298	8.03	0.10	0.13	0.64	14.9
Merklin & Thrift	12-May-15	298	7.92	0.08	0.10	0.68	13.3
Merklin Low Reservoir - 25%	12-May-15	310	8.09	0.33	0.04	0.20	13.3
Merklin Low Reservoir - 50%	12-May-15	315	8.15	0.32	0.05	0.20	13.8
Merklin Low Reservoir - 75%	12-May-15	312	8.12	0.26	0.05	0.17	17.6
Roper Reservoir - 25%	12-May-15	440	7.95	0.10	0.06	0.13	15.9
Roper Reservoir - 50%	12-May-15	454	7.98	0.11	0.02	0.11	16.5
Merklin High Reservoir	12-May-15	315	8.02	0.12	0.06	0.65	10.7
EPCOR Office	12-May-15	310	8.06	0.13	0.13	0.43	18.6
Well #7 - Chlorine STN	12-May-15	299	8.08	0.08	0.05	0.02	10.6
13600 Blk. Marine Drive STN	13-May-15	274	7.79	0.11	0.03	0.01	15.9
15600 Blk. Moffat Lane	13-May-15	296	8.02	0.13	0.07	0.38	16.9
Well #2 Pump House	13-May-15	276	7.85	0.28	0.03	0.02	10.3
14800 Blk. Marine Drive	13-May-15	537	7.69	0.09	0.05	0.02	15.4
Peace Arch Hospital	19-May-15	302	8.05	0.11	0.10	0.66	13.3
Merklin & Thrift	19-May-15	302	8.14	0.15	0.07	0.69	12.9
Merklin Low Reservoir - 25%	19-May-15	311	8.19	0.33	0.06	0.18	14.6
Merklin Low Reservoir - 50%	19-May-15	340	8.33	0.32	0.05	0.18	15.6
Merklin Low Reservoir - 75%	19-May-15	330	8.31	0.21	0.07	0.09	20.8
Roper Reservoir - 25%	19-May-15	416	8.04	0.11	0.06	0.11	15.8
Roper Reservoir - 50%	19-May-15	410	8.05	0.12	0.06	0.11	16.0
Merklin High Reservoir	19-May-15	305	8.20	0.19	0.06	0.62	10.5
Malabar STN	19-May-15	276	8.03	0.11	0.08	0.05	12.7
Well #5 - Buena Vista	19-May-15	544	7.89	0.05	0.07	0.01	12.4
Well #1 - Oxford	20-May-15	283	7.99	0.09	0.03	0.01	10.2
Kent Activity Centre	20-May-15	307	8.07	0.12	0.05	0.64	17.9
Mann Park STN	20-May-15	274	7.93	0.11	0.03	0.03	11.9
Marine & Stayte STN	20-May-15	453	7.82	0.07	0.01	0.02	17.2
Peace Arch Hospital	26-May-15	354	7.96	0.12	0.05	0.67	13.7
Merklin & Thrift	26-May-15	354	8.03	0.12	0.04	0.72	13.1
Merklin Low Reservoir - 25%	26-May-15	307	8.13	0.35	0.06	0.15	15.0
Merklin Low Reservoir - 50%	26-May-15	304	8.15	0.30	0.05	0.10	15.1
Merklin Low Reservoir - 75%	26-May-15	307	8.16	0.17	0.04	0.02	19.2
Roper Reservoir - 25%	26-May-15	404	7.93	0.09	0.04	0.07	14.8
Roper Reservoir - 50%	26-May-15	408	7.90	0.10	0.04	0.08	14.9
Merklin High Reservoir	26-May-15	353	8.09	0.09	0.05	0.69	10.9
Stevens STN	26-May-15	356	8.07	0.12	0.05	0.69	13.9
Well #3 - Oxford	26-May-15	255	8.10	0.11	0.04	0.01	9.9
Whale House	27-May-15	475	7.25	0.08	0.04	0.03	18.7
Well #6 - Valve Chamber	27-May-15	351	7.56	0.10	0.04	0.02	10.4
Bergstrom Residence	27-May-15	276	7.45	0.06	0.02	0.02	18.2
WR Washroom	27-May-15	531	7.29	0.14	0.02	0.01	19.6
Magdalen & Bishop	27-May-15	280	7.43	0.12	0.03	0.02	14.7
Min		255	7.25	0.05	0.01	<0.02	9.9
Max		544	8.38	0.35	0.13	0.80	21.6
Average		348	8.00	0.15	0.05	0.25	14.4

In-House Water Testing Results June 2015

Sampling Location	Date Sampled	Conductivity	pH	Turbidity	Free Cl	Total Cl	Temp
		µS/cm		NTU	mg/L	mg/L	
Peace Arch Hospital	2-Jun-15	296	7.98	0.11	0.09	0.63	15.8
Merklin & Thrift	2-Jun-15	312	8.03	0.06	0.04	0.71	14.9
Merklin Low Reservoir (25%)	2-Jun-15	N/A	N/A	N/A	N/A	-	-
Merklin Low Reservoir (50%)	2-Jun-15	N/A	N/A	N/A	N/A	-	-
Merklin Low Reservoir (75%)	2-Jun-15	N/A	N/A	N/A	N/A	-	-
Roper Reservoir - 25%	2-Jun-15	400	7.93	0.10	0.05	0.08	15.4
Roper Reservoir - 50%	2-Jun-15	387	7.94	0.11	0.03	0.07	15.3
Merklin High Reservoir	2-Jun-15	317	8.00	0.09	0.07	0.63	10.9
1100 Blk. Centre Street	2-Jun-15	298	8.04	0.08	0.10	0.61	14.9
Well #4 - Valve Chamber	2-Jun-15	298	8.02	0.20	0.02	0.00	10.9
Maple & Columbia	3-Jun-15	507	7.66	0.06	0.03	0.02	19.6
Centennial Arena	3-Jun-15	278	7.89	0.09	0.02	0.01	14.3
14000 Blk. North Bluff Road	3-Jun-15	266	8.00	0.08	0.03	0.04	20.1
Peace Arch Hospital	9-Jun-15	310	7.93	0.10	0.08	0.61	15.3
Merklin & Thrift	9-Jun-15	289	8.02	0.22	0.08	0.85	15.3
Merklin Low Reservoir - 25%	9-Jun-15	283	8.04	0.27	0.08	0.42	15.4
Merklin Low Reservoir - 50%	9-Jun-15	290	8.03	0.27	0.08	0.39	15.5
Merklin Low Reservoir - 75%	9-Jun-15	286	8.01	0.26	0.08	0.40	17.5
Roper Reservoir - 25%	9-Jun-15	366	7.88	0.12	0.04	0.06	17.9
Roper Reservoir - 50%	9-Jun-15	364	7.89	0.12	0.03	0.05	17.3
Merklin High Reservoir	9-Jun-15	288	8.02	0.20	0.02	0.61	12.3
EPCOR Office	9-Jun-15	272	8.04	0.16	0.00	0.29	19.8
Well #7 - Chlorine STN	9-Jun-15	283	8.05	0.09	0.05	0.02	11.8
13600 Blk. Marine Drive STN	10-Jun-15	266	7.86	0.09	0.03	0.02	17.9
15600 Blk. Moffat Lane	10-Jun-15	284	8.07	0.15	0.05	0.42	19.6
Well #2 Pump House	10-Jun-15	271	7.92	0.12	0.03	0.03	10.7
14800 Blk. Marine Drive	10-Jun-15	523	7.78	0.07	0.02	0.02	17.2
Peace Arch Hospital	16-Jun-15	315	7.94	0.14	0.09	0.65	13.9
Merklin & Thrift	16-Jun-15	330	8.09	0.06	0.09	0.65	13.6
Merklin Low Reservoir - 25%	16-Jun-15	284	8.14	0.26	0.07	0.32	15.4
Merklin Low Reservoir - 50%	16-Jun-15	286	8.13	0.25	0.07	0.32	16.1
Merklin Low Reservoir - 75%	16-Jun-15	285	8.37	0.21	0.04	0.27	24.9
Roper Reservoir - 25%	16-Jun-15	N/A	N/A	N/A	N/A	-	-
Roper Reservoir - 50%	16-Jun-15	N/A	N/A	N/A	N/A	-	-
Merklin High Reservoir	16-Jun-15	317	8.14	0.11	0.06	0.64	11.2
Malabar STN	16-Jun-15	270	8.07	0.13	0.07	0.04	11.8
Well #5 - Buena Vista	24-Jun-15	529	7.89	0.10	0.08	0.03	13.6
Well #1 - Oxford	17-Jun-15	257	7.92	0.09	0.03	0.03	10.5
Kent Activity Centre	17-Jun-15	308	8.14	0.13	0.08	0.67	16.6
Mann Park STN	17-Jun-15	265	7.93	0.07	0.02	0.02	12.3
Marine & Stayte STN	17-Jun-15	270	8.01	0.09	0.02	0.02	19.4
Peace Arch Hospital	23-Jun-15	313	8.14	0.09	0.08	0.66	13.5
Merklin & Thrift	23-Jun-15	337	8.14	0.08	0.06	0.68	14.7
Merklin Low Reservoir - 25%	23-Jun-15	293	8.21	0.28	0.07	0.31	17.1
Merklin Low Reservoir - 50%	23-Jun-15	315	8.27	0.28	0.08	0.31	17.1
Merklin Low Reservoir - 75%	23-Jun-15	295	8.25	0.26	0.06	0.30	19.4
Roper Reservoir - 25%	23-Jun-15	297	8.16	0.11	0.06	0.14	16.2
Roper Reservoir - 50%	23-Jun-15	307	8.19	0.12	0.05	0.10	15.7
Merklin High Reservoir	23-Jun-15	369	8.46	0.07	0.05	0.62	11.2
Stevens STN	23-Jun-15	246	8.28	0.08	0.11	0.68	13.8
Well #3 - Oxford	23-Jun-15	321	8.30	0.11	0.01	0.06	9.9
Whale House	24-Jun-15	404	7.91	0.11	0.04	0.04	19.4
Well #6 - Valve Chamber	24-Jun-15	338	8.20	0.10	0.04	0.03	10.1
Bergstrom Residence	24-Jun-15	271	8.00	0.07	0.02	0.01	19.0
WR Washroom	24-Jun-15	487	7.89	0.12	0.02	0.04	21.2
Magdalen & Bishop	24-Jun-15	267	8.04	0.11	0.05	0.03	15.4
Peace Arch Hospital	30-Jun-15	328	7.95	0.13	0.08	0.64	13.8
Merklin & Thrift	30-Jun-15	320	8.00	0.07	0.08	0.72	15.4
Merklin Low Reservoir (25%)	30-Jun-15	293	8.06	0.23	0.09	0.38	17.2
Merklin Low Reservoir (50%)	30-Jun-15	296	8.10	0.22	0.09	0.39	17.9
Merklin Low Reservoir (75%)	30-Jun-15	296	8.09	0.22	0.08	0.40	17.9
Roper Reservoir - 25%	30-Jun-15	316	7.96	0.16	0.06	0.22	17.2
Roper Reservoir - 50%	30-Jun-15	308	8.01	0.19	0.08	0.21	17.4
Merklin High Reservoir	30-Jun-15	300	8.04	0.15	0.05	0.56	11.4
1100 Blk. Centre Street	29-Jun-15	295	8.05	0.07	0.08	0.42	15.9
Well #4 - Valve Chamber	29-Jun-15	258	8.05	0.16	0.06	0.02	11.7
Maple & Columbia	29-Jun-15	497	7.81	0.06	0.01	0.00	26.4
Centennial Arena	29-Jun-15	255	8.00	0.05	0.04	0.05	19.3
14000 Blk. North Bluff Road	29-Jun-15	259	8.03	0.06	0.03	0.02	27.0
Min		246	7.78	0.05	<0.02	<0.02	9.9
Max		529	8.46	0.28	0.11	0.85	27.0
Average		302	7.77	0.14	0.05	0.28	15.5

In-House Water Testing Results July 2015

Sampling Location	Date Sampled	Conductivity	pH	Turbidity	Free Cl	Total Cl	Temp
		µS/cm		NTU	mg/L	mg/L	
Peace Arch Hospital	7-Jul-15	319	8.03	0.07	0.06	0.59	15.6
Merklin & Thrift	7-Jul-15	312	8.06	0.09	0.09	0.67	15.1
Merklin Low Reservoir - 25%	7-Jul-15	293	8.13	0.21	0.06	0.33	19.3
Merklin Low Reservoir - 50%	7-Jul-15	303	8.12	0.21	0.07	0.34	20.7
Merklin Low Reservoir - 75%	7-Jul-15	302	8.14	0.23	0.07	0.34	24.3
Roper Reservoir - 25%	7-Jul-15	294	8.05	0.12	0.09	0.15	17.8
Roper Reservoir - 50%	7-Jul-15	296	8.06	0.16	0.07	0.13	18.8
Merklin High Reservoir	7-Jul-15	317	8.10	0.11	0.04	0.63	12.5
EPCOR Office	7-Jul-15	277	8.12	0.12	0.09	0.23	19.9
Well #7 - Chlorine STN	7-Jul-15	289	8.11	0.08	0.03	0.02	12.7
13600 Blk. Marine Drive STN	8-Jul-15	261	7.96	0.11	0.08	0.05	18.4
15600 Blk. Moffat Lane	8-Jul-15	304	8.03	0.10	0.08	0.37	21.3
Well #2 Pump House	8-Jul-15						
14800 Blk. Marine Drive	8-Jul-15	529	7.74	0.07	0.07	0.10	18.4
Peace Arch Hospital	14-Jul-15	307	8.02	0.10	0.10	0.37	13.6
Merklin & Thrift	14-Jul-15	308	8.08	0.06	0.08	0.65	16.5
Merklin Low Reservoir - 25%	14-Jul-15	296	8.16	0.22	0.08	0.30	18.2
Merklin Low Reservoir - 50%	14-Jul-15	302	8.16	0.22	0.07	0.34	18.7
Merklin Low Reservoir - 75%	14-Jul-15	301	8.21	0.20	0.07	0.27	22.4
Roper Reservoir - 25%	14-Jul-15	319	8.17	0.16	0.10	0.27	17.2
Roper Reservoir - 50%	14-Jul-15	313	8.15	0.13	0.09	0.17	16.5
Merklin High Reservoir	14-Jul-15	303	8.10	0.10	0.04	0.61	11.3
Malabar STN	14-Jul-15	252	8.11	0.11	0.06	0.12	11.3
Well #5 - Buena Vista	14-Jul-15	530	7.85	0.11	0.03	0.06	13.6
Well #1 - Oxford	15-Jul-15	268	7.86	0.21	0.02	0.03	11.5
Kent Activity Centre	15-Jul-15	308	8.05	0.12	0.06	0.63	18.8
Mann Park STN	15-Jul-15	251	8.11	0.14	0.03	<0.02	12.3
Marine & Stayte STN	15-Jul-15	417	7.92	0.07	0.03	0.02	21.6
Peace Arch Hospital	21-Jul-15	291	8.18	0.13	0.09	0.66	15.3
Merklin & Thrift	21-Jul-15	289	8.16	0.11	0.09	0.67	17.0
Merklin Low Reservoir - 25%	21-Jul-15	301	8.09	0.22	0.06	0.24	19.1
Merklin Low Reservoir - 50%	21-Jul-15	303	8.16	0.23	0.06	0.24	21.1
Merklin Low Reservoir - 75%	21-Jul-15	298	8.24	0.20	0.05	0.07	24.7
Roper Reservoir - 25%	21-Jul-15	310	8.2	0.13	0.04	0.09	16.6
Roper Reservoir - 50%	21-Jul-15	291	8.15	0.13	<0.02	0.04	16.3
Merklin High Reservoir	21-Jul-15	292	8.18	0.09	<0.02	0.58	12.5
Stevens STN	21-Jul-15	288	8.2	0.14	0.07	0.64	15.7
Well #3 - Oxford	21-Jul-15	255	8.17	0.13	0.04	<0.02	10.5
Whale House	22-Jul-15	324	7.82	0.08	0.04	0.03	20.6
Well #6 - Valve Chamber	22-Jul-15	353	8.07	0.15	0.05	<0.02	10.2
Bergstrom Residence - Tanner	22-Jul-15	251	8.10	0.06	0.04	0.05	21.2
WR Washroom	22-Jul-15	481	7.90	0.08	0.07	0.07	23.6
Magdalen & Bishop	22-Jul-15	249	8.08	0.15	0.05	0.05	15.8
Peace Arch Hospital	28-Jul-15	334	8.01	0.13	0.10	0.63	14.9
Merklin & Thrift	28-Jul-15	325	8.10	0.09	0.06	0.61	15.0
Merklin Low Reservoir (25%)	28-Jul-15	295	8.17	0.24	0.05	0.17	19.3
Merklin Low Reservoir (50%)	28-Jul-15	296	8.17	0.24	0.05	0.09	20.3
Merklin Low Reservoir (75%)	28-Jul-15	297	8.27	0.16	0.03	0.05	23.6
Roper Reservoir - 25%	29-Jul-15	275	7.94	0.12	0.03	0.12	17.9
Roper Reservoir - 50%	29-Jul-15	274	8.04	0.11	0.02	0.06	18.0
Merklin High Reservoir	28-Jul-15	327	8.21	0.10	0.05	0.53	11.9
1100 Blk. Centre Street	28-Jul-15	300	8.17	0.11	0.05	0.32	16.9
Well #4 - Valve Chamber	28-Jul-15	254	8.17	0.10	0.03	0.02	11.6
Maple & Columbia	29-Jul-15	499	7.90	0.06	0.02	0.02	20.5
Centennial Arena	29-Jul-15	252	8.08	0.08	<0.02	0.03	20.6
Penny Lane	29-Jul-15						
14000 Blk. North Bluff Road	29-Jul-15	245	8.13	0.06	<0.02	0.03	24.3
Min		245	7.74	0.06	<0.02	<0.02	10.2
Max		530	8.27	0.24	0.10	0.67	24.7
Average		311	8.08	0.13	0.05	0.25	17.3

In-House Water Testing Results August 2015

Sampling Location	Date Sampled	Conductivity	pH	Turbidity	Free Cl	Total Cl	Temp
		µS/cm					
Peace Arch Hospital	4-Aug-15	327	7.99	0.07	0.04	0.49	16.1
Merklin & Thrift	4-Aug-15	327	8.10	0.07	0.09	0.79	13.7
Merklin Low Reservoir - 25%	4-Aug-15	307	8.18	0.28	0.05	0.04	19.4
Merklin Low Reservoir - 50%	4-Aug-15	304	8.21	0.27	0.06	0.03	20.6
Merklin Low Reservoir - 75%	4-Aug-15	299	8.32	0.18	0.03	0.04	24.1
Roper Reservoir - 25%	5-Aug-15	270	7.74	0.10	0.04	0.05	14.3
Roper Reservoir - 50%	5-Aug-15	271	7.96	0.09	0.03	0.06	14.2
Merklin High Reservoir	4-Aug-15	324	8.18	0.09	0.08	0.64	11.7
EPCOR Office	4-Aug-15	300	8.10	0.14	0.08	0.34	18.8
Well #7 - Chlorine STN	4-Aug-15	285	8.19	0.08	0.02	0.03	10.9
13600 Blk. Marine Drive STN	5-Aug-15	270	7.95	0.09	0.02	<0.02	19.3
15600 Blk. Moffat Lane	5-Aug-15	358	8.07	0.06	0.02	0.06	21.6
Well #2 Pump House	5-Aug-15	279	7.94	0.06	<0.02	0.04	11.3
14800 Blk. Marine Drive	5-Aug-15	530	7.82	0.10	<0.02	0.03	18.5
Peace Arch Hospital	11-Aug-15	282	8.04	0.08	0.07	0.59	14.8
Merklin & Thrift	11-Aug-15	280	8.19	0.07	0.07	0.53	14.3
Merklin Low Reservoir - 25%	11-Aug-15	306	8.21	0.21	0.06	0.20	18.5
Merklin Low Reservoir - 50%	11-Aug-15	303	8.27	0.21	0.05	0.21	17.6
Merklin Low Reservoir - 75%	11-Aug-15	307	8.27	0.20	0.05	0.20	18.5
Roper Reservoir - 25%	11-Aug-15	272	8.23	0.11	0.05	0.18	16.0
Roper Reservoir - 50%	11-Aug-15	269	8.20	0.11	<0.02	0.14	15.4
Merklin High Reservoir	11-Aug-15	286	8.23	0.10	0.03	0.57	11.4
Malabar STN	11-Aug-15	269	8.07	0.11	0.06	0.10	12.7
Well #5 - Buena Vista	11-Aug-15	539	7.93	0.05	0.05	<0.02	13.7
Well #1 - Oxford	12-Aug-15	258	7.96	0.10	<0.02	<0.02	11.3
Kent Activity Centre	12-Aug-15	309	8.10	0.06	0.06	0.73	19.7
Mann Park STN	12-Aug-15	265	8.04	0.07	0.04	<0.02	12.5
Marine & Stayte STN	12-Aug-15	415	7.96	0.09	0.04	0.06	20.7
Peace Arch Hospital	18-Aug-15	315	8.00	0.08	0.09	0.68	15.3
Merklin & Thrift	18-Aug-15	312	8.02	0.10	0.07	0.75	14.7
Merklin Low Reservoir - 25%	18-Aug-15	304	8.16	0.24	0.07	0.07	18.8
Merklin Low Reservoir - 50%	18-Aug-15	315	8.17	0.24	0.09	0.08	19.1
Merklin Low Reservoir - 75%	18-Aug-15	311	8.21	0.24	0.07	0.09	20.9
Roper Reservoir - 25%	18-Aug-15	272	8.13	0.14	0.05	0.19	16.5
Roper Reservoir - 50%	18-Aug-15	275	8.11	0.11	0.06	0.10	16.1
Merklin High Reservoir	18-Aug-15	291	8.14	0.13	0.06	0.59	12.8
Stevens STN	18-Aug-15	311	8.18	0.10	0.06	0.71	14.5
Well #3 - Oxford	-						
Whale House	19-Aug-15	449	7.78	0.14	<0.02	<0.02	20.4
Well #6 - Valve Chamber	19-Aug-15	348	8.09	0.11	0.04	0.04	10.8
Bergstrom Residence	19-Aug-15	274	8.04	0.10	<0.02	0.02	22.2
WR Washroom	19-Aug-15	444	7.93	0.11	0.04	0.06	23.7
Magdalen & Bishop	19-Aug-15	270	8.04	0.07	<0.02	0.03	18.8
Peace Arch Hospital	25-Aug-15	304	8.21	0.07	0.06	0.55	13.7
Merklin & Thrift	25-Aug-15	287	8.22	0.09	0.09	0.63	15.3
Merklin Low Reservoir (25%)	25-Aug-15	305	8.29	0.23	0.05	0.04	17.9
Merklin Low Reservoir (50%)	25-Aug-15	307	8.30	0.22	0.05	0.04	18.3
Merklin Low Reservoir (75%)	25-Aug-15	308	8.31	0.23	0.05	0.04	19.5
Roper Reservoir - 25%	25-Aug-15	268	8.21	0.12	0.06	0.12	14.5
Roper Reservoir - 50%	25-Aug-15	264	8.20	0.12	0.04	0.12	14.5
Merklin High Reservoir	25-Aug-15	285	8.26	0.11	0.04	0.54	11.4
1100 Blk. Centre Street	25-Aug-15	264	8.02	0.10	0.05	0.21	15.9
Well #4 - Valve Chamber	25-Aug-15	230	8.13	0.34	0.02	0.03	11.3
Maple & Columbia	25-Aug-15	505	7.90	0.06	0.04	0.02	23.6
Centennial Arena	25-Aug-15	269	8.00	0.06	0.05	0.03	18.7
Penny Lane	25-Aug-15	260	8.11	0.11	0.05	0.02	17.9
14000 Blk. North Bluff Road	25-Aug-15	265	8.06	0.12	0.06	0.04	23.9
Min		230	7.74	0.05	<0.02	<0.02	10.8
Max		539	8.32	0.34	0.09	0.79	24.1
Average		311	8.10	0.13	0.05	0.21	16.7

In-House Water Testing Results September 2015

Sampling Location	Date Sampled	Conductivity	pH	Turbidity	Free Cl	Total Cl	Temp
		µS/cm					
Peace Arch Hospital	1-Sep-15	287	8.04	0.10	0.07	0.58	15.7
Merklin & Thrift	1-Sep-15	288	8.13	0.12	0.11	0.43	13.8
Merklin Low Reservoir - 25%	1-Sep-15	318	8.18	0.22	0.07	0.20	14.8
Merklin Low Reservoir - 50%	1-Sep-15	496	8.58	0.23	0.00	0.15	14.8
Merklin Low Reservoir - 75%	1-Sep-15	340	8.34	0.23	0.05	0.15	15.5
Roper Reservoir - 25%	1-Sep-15	287	8.14	0.10	0.04	0.16	13.7
Roper Reservoir - 50%	1-Sep-15	335	8.32	0.12	0.03	0.13	13.5
Merklin High Reservoir	1-Sep-15	310	8.20	0.10	0.60	0.60	11.2

EPCOR Office	1-Sep-15	266	8.15	0.09	0.00	0.22	19.2
EPCOR Office (Duplicate)	1-Sep-15	267	8.18	0.09	0.02	0.20	19.2
Well #7 - Chlorine STN	1-Sep-15	286	8.21	0.15	0.00	0.00	10.9
13600 Blk. Marine Drive STN	2-Sep-15	273	7.96	0.08	0.06	0.01	19.7
15600 Blk. Moffat Lane	2-Sep-15	271	8.13	0.12	0.01	0.16	20.9
Well #2 Pump House	2-Sep-15	275	8.01	0.08	0.03	0.00	10.3
14800 Blk. Marine Drive	2-Sep-15	536	7.80	0.09	0.02	0.10	17.5
Peace Arch Hospital	8-Sep-15	336	7.70	0.07	0.04	0.58	14.2
Merklin & Thrift	8-Sep-15	340	8.06	0.08	0.00	0.62	13.6
Merklin Low Reservoir - 25%	8-Sep-15	305	8.18	0.27	0.03	0.23	13.1
Merklin Low Reservoir - 50%	8-Sep-15	313	8.18	0.28	0.03	0.21	13.3
Merklin Low Reservoir - 75%	8-Sep-15	308	8.21	0.27	0.04	0.24	13.5
Roper Reservoir - 25%	8-Sep-15	288	8.16	0.12	0.04	0.21	13.4
Roper Reservoir - 50%	8-Sep-15	288	8.19	0.15	0.03	0.18	13.2
Merklin High Reservoir	8-Sep-15	326	8.22	0.11	0.07	0.54	11.3
Merklin High Reservoir (Duplicate)	8-Sep-15	332	8.20	0.10	0.04	0.58	11.3
Malabar STN	8-Sep-15	261	8.16	0.09	0.01	0.02	13.1
Well #5 - Buena Vista	8-Sep-15	526	7.89	0.10	0.03	0.03	13.1
Well #1 - Oxford	9-Sep-15	256	7.91	0.12	0.01	0.00	10.1
Kent Activity Centre	9-Sep-15	339	8.06	0.07	0.04	0.53	16.9
Mann Park STN	9-Sep-15	265	8.10	0.13	0.02	0.00	13.1
Marine & Stayte STN	9-Sep-15	423	7.94	0.11	0.02	0.01	19.3
Peace Arch Hospital	15-Sep-15	332	8.10	0.07	0.04	0.59	13.8
Merklin & Thrift	15-Sep-15	332	8.20	0.10	0.05	0.58	14.7
Merklin & Thrift (duplicate)	15-Sep-15	332	8.23	0.07	0.02	0.59	13.9
Merklin Low Reservoir - 25%	15-Sep-15	312	8.24	0.28	0.04	0.08	13.8
Merklin Low Reservoir - 50%	15-Sep-15	310	8.26	0.31	0.04	0.08	13.9
Merklin Low Reservoir - 75%	15-Sep-15	311	8.28	0.30	0.04	0.07	16.2
Roper Reservoir - 25%	15-Sep-15	288	8.26	0.14	0.02	0.16	13.1
Roper Reservoir - 50%	15-Sep-15	287	8.26	0.14	0.03	0.16	12.9
Merklin High Reservoir	15-Sep-15	334	8.27	0.09	0.04	0.59	11.2
Stevens STN	15-Sep-15	333	8.30	0.07	0.05	0.60	14.0
Well #3 - Oxford	15-Sep-15	249	8.29	0.09	0.02	0.01	9.7
Whale House	16-Sep-15	384	7.83	0.10	0.00	0.00	19.9
Well #6 - Valve Chamber	16-Sep-15	332	8.04	0.08	0.04	0.01	10.3
Bergstrom Station	16-Sep-15	263	7.92	0.08	0.01	0.00	20.6
WR Washroom	16-Sep-15	434	7.84	0.06	0.03	0.02	19.5
Magdalen & Bishop	16-Sep-15	260	8.03	0.07	0.01	0.00	16.5
Peace Arch Hospital	22-Sep-15	283	8.08	0.16	0.07	0.54	13.9
Merklin & Thrift	22-Sep-15	283	8.17	0.10	0.08	0.59	14.6
Merklin Low Reservoir (25%)	22-Sep-15	311	8.18	0.30	0.07	0.11	14.0
Merklin Low Reservoir (50%)	22-Sep-15	310	8.23	0.31	0.06	0.12	13.7
Merklin Low Reservoir (75%)	22-Sep-15	309	8.24	0.31	0.07	0.16	14.3
Roper Reservoir - 25%	22-Sep-15	274	8.22	0.10	0.04	0.11	13.3
Roper Reservoir - 50%	22-Sep-15	279	8.20	0.12	0.05	0.14	13.5
Merklin High Reservoir	22-Sep-15	287	8.25	0.10	0.03	0.49	10.9
1100 Blk. Centre Street	22-Sep-15	277	8.21	0.14	0.07	0.39	14.6
1100 Blk. Centre Street (Duplicate)	22-Sep-15	275	8.21	0.18	0.00	0.38	14.6
Well #4 - Valve Chamber	22-Sep-15	274	8.23	0.12	0.02	0.00	10.2
Maple & Columbia	23-Sep-15	479	7.89	0.09	0.04	0.01	16.6
Centennial Arena	23-Sep-15	266	7.99	0.11	0.03	0.01	17.1
Penny Lane	23-Sep-15	258	7.96	0.08	0.04	0.03	14.8
14000 Blk. North Bluff Road	23-Sep-15	259	8.01	0.08	0.03	0.02	20.0
Peace Arch Hospital	29-Sep-15	286	8.13	0.34	0.07	0.55	14.4
Merklin & Thrift	29-Sep-15	276	8.02	0.13	0.10	0.50	12.9
Merklin Low Reservoir - 25%	30-Sep-15	309	8.04	0.31	0.06	0.02	13.0
Merklin Low Reservoir - 50%	30-Sep-15	310	8.08	0.32	0.06	0.03	13.4
Merklin Low Reservoir - 75%	30-Sep-15	310	8.08	0.31	0.04	0.03	13.9
Roper Reservoir - 25%	30-Sep-15	288	7.99	0.12	0.02	0.10	11.8
Roper Reservoir - 50%	30-Sep-15	288	8.01	0.13	0.02	0.10	11.8
Merklin High Reservoir	30-Sep-15	289	8.07	0.56	0.09	0.33	10.7
Merklin High Reservoir (Duplicate)	30-Sep-15	287	8.09	0.32	0.06	0.33	10.7
EPCOR Office	29-Sep-15	267	8.06	0.11	0.02	0.04	20.2
Well #7 - Chlorine STN	29-Sep-15	290	8.08	0.08	0.02	0.00	10.1
13600 Blk. Marine Drive STN	29-Sep-15	265	8.02	0.08	0.01	0.00	17.4
15600 Blk. Moffat Lane	29-Sep-15	271	8.10	0.13	0.02	0.14	18.3
Well #2 Pump House	29-Sep-15	282	7.86	0.11	0.04	0.03	10.3
14800 Blk. Marine Drive	29-Sep-15	521	7.72	0.23	0.02	0.02	16.3
Min		249	7.70	0.06	<0.02	<0.02	9.7
Max		536	8.58	0.31	0.60	0.62	20.9
Average		316	8.13	0.14	0.04	0.22	14.5

In-House Water Testing Results October 2015

Sampling Location	Date Sampled	Conductivity	pH	Turbidity	Free Cl	Total Cl	Temp
		$\mu\text{S/cm}$		NTU	mg/L	mg/L	
Peace Arch Hospital	6-Oct-15	283	8.01	0.11	0.04	0.54	14.5
Merklin & Thrift	6-Oct-15	283	8.05	0.07	0.03	0.45	14.4
Merklin & Thrift (Duplicate)	6-Oct-15	284	8.06	0.07	0.07	0.58	14.4

Merklin Low Reservoir - 25%	6-Oct-15	310	8.06	0.28	0.07	0.09	13.5
Merklin Low Reservoir - 50%	6-Oct-15	311	8.07	0.32	0.05	0.10	13.1
Merklin Low Reservoir - 75%	6-Oct-15	310	8.08	0.31	0.05	0.09	13.5
Roper Reservoir - 25%	6-Oct-15	269	8.01	0.12	0.04	0.12	12.1
Roper Reservoir - 50%	6-Oct-15	271	8.00	0.13	0.04	0.11	12.2
Merklin High Reservoir	6-Oct-15	287	8.06	0.12	0.05	0.51	11.0
Malabar STN	6-Oct-15	250	7.96	0.16	0.04	0.01	12.2
Well #5 - Buena Vista	6-Oct-15	533	7.68	0.12	0.01	0.01	14.2
Well #1 - Oxford	7-Oct-15	247	7.94	0.07	0.00	0.00	12.1
Kent Activity Centre	7-Oct-15	286	8.09	0.10	0.01	0.45	16.7
Mann Park STN	7-Oct-15	250	8.05	0.08	0.03	0.01	12.4
Marine & Stayte STN	7-Oct-15	315	7.94	0.14	0.02	0.01	16.4
Peace Arch Hospital	13-Oct-15	Closed for Construction	-	-	-	-	-
Merklin & Thrift	13-Oct-15	345	8.06	0.15	0.04	0.70	15.5
Merklin & Thrift (Duplicate)	13-Oct-15	346	8.07	0.16	0.05	0.66	15.3
Merklin Low Reservoir - 25%	13-Oct-15	309	8.04	0.30	0.03	0.04	12.5
Merklin Low Reservoir - 50%	13-Oct-15	307	8.06	0.31	0.01	0.04	12.7
Merklin Low Reservoir - 75%	13-Oct-15	312	8.07	0.28	0.01	0.03	13.3
Roper Reservoir - 25%	13-Oct-15	274	8.00	0.14	0.01	0.02	11.5
Roper Reservoir - 50%	13-Oct-15	276	7.95	0.12	0.00	0.01	11.4
Merklin High Reservoir	13-Oct-15	291	8.05	0.19	0.09	0.55	10.7
Stevens STN	14-Oct-15	349	8.04	0.10	0.06	0.61	12.5
Well #3 Oxford	13-Oct-15	284	7.83	0.16	0.04	0.01	11.3
Whale House	14-Oct-15	331	7.95	0.12	0.02	0.03	16.5
Well #6 - Valve Chamber	13-Oct-15	345	8.21	0.09	0.00	0.02	10.3
Bergstrom Residence	14-Oct-15	274	7.93	0.11	0.03	0.00	17.3
WR Washroom	14-Oct-15	483	7.79	0.10	0.01	0.00	15.4
Magdalen & Bishop	14-Oct-15	264	7.95	0.12	0.03	0.01	16.0
Merklin & Thrift	20-Oct-15	328	8.04	0.13	0.02	0.63	13.4
Merklin Low Reservoir - 25%	20-Oct-15	312	8.20	0.23	0.03	0.13	11.9
Merklin Low Reservoir - 50%	20-Oct-15	314	8.23	0.23	0.02	0.13	11.9
Merklin Low Reservoir - 75%	20-Oct-15	304	8.23	0.26	0.00	0.14	11.9
Roper Reservoir - 25%	20-Oct-15	309	8.22	0.12	0.08	0.53	11.7
Roper Reservoir - 50%	20-Oct-15	304	8.22	0.16	0.02	0.16	11.5
Merklin High Reservoir	20-Oct-15	326	8.24	0.13	0.05	0.57	11.3
1100 Blk. Centre Street	20-Oct-15	322	8.26	0.10	0.00	0.47	14.7
Well #4 - Valve Chamber	20-Oct-15	270	8.25	0.53	0.02	0.02	13.7
WR Washroom	21-Oct-15	445	7.70	0.12	0.05	0.02	16.0
Maple & Columbia	21-Oct-15	375	7.78	0.09	0.00	0.02	15.8
Centennial Arena	21-Oct-15	265	7.89	0.11	0.04	0.01	17.8
Centennial Arena (duplicate)	21-Oct-15	266	7.92	0.15	0.04	0.02	17.8
Penny Lane	21-Oct-15	270	7.94	0.10	0.02	0.01	13.5
14000 Blk. North Bluff Road	21-Oct-15	271	7.99	0.10	0.04	0.01	16.8
Stevens STN	27-Oct-15	331	7.89	0.10	0.05	0.68	10.9
Merklin & Thrift	27-Oct-15	329	8.01	0.15	0.03	0.52	15.2
Merklin Low Reservoir (25%)	27-Oct-15	315	8.07	0.26	0.03	0.04	11.7
Merklin Low Reservoir (50%)	27-Oct-15	313	8.12	0.27	0.02	0.03	11.6
Merklin Low Reservoir (75%)	27-Oct-15	310	8.12	0.25	0.03	0.04	11.5
Roper Reservoir - 25%	27-Oct-15	298	8.13	0.12	0.20	0.22	10.4
Roper Reservoir - 50%	27-Oct-15	293	8.13	0.14	0.19	0.21	10.9
Merklin High Reservoir	27-Oct-15	328	8.14	0.10	0.03	0.60	10.5
EPCOR Office	27-Oct-15	311	8.15	0.27	0.07	0.22	19.0
Well #7-Chlorine STN	27-Oct-15	323	8.16	0.16	0.02	0.03	12.5
13600 Blk. Marine Drive STN	28-Oct-15	271	7.95	0.13	0.02	0.02	13.6
15600 Blk. Moffat Lane	28-Oct-15	312	8.07	0.12	0.12	0.15	15.9
Well #2 Pump House	28-Oct-15	278	7.88	0.22	0.03	0.06	10.4
Well #2 Pump House (Duplicate)	28-Oct-15	276	7.88	0.20	0.02	0.01	10.2
14800 Blk. Marine Drive	28-Oct-15	274	7.89	0.24	0.03	0.05	15.2
Min		247	7.68	0.07	<0.02	<0.02	10.2
Max		533	8.26	0.53	0.20	0.70	19.0
Average		304	7.90	0.16	0.04	0.19	13.2